



MATERIAL SAFETY DATA SHEET

HMIS H=1
F=0
R=0

Date Issued 2/9/98

5000

SECTION I

Prepared by: Todd Bethel
Manufactured Name: Shaw Industries
Address/Phone: P.O. Drawer 2128
Dalton, GA 30722 (800) 441-7429
Emergency Telephone No.: (800)535-5053
Product Class: Synthetic rubber, resin blend
Manufacturer's Code Identification: 5000
Trade Name: Pressure Sensitive Adhesive

SECTION II

HAZARDOUS INGREDIENTS

None per OSHA Regulation: 29 CFR 1910.1200
SARA Title III Section 313 Chemicals: None

SECTION III

PHYSICAL DATA

Boiling Point: 212 degrees F
LBS/GAL: 8-9
Evaporation Rate: Same as water
Vapor Density: Same as water
Vapor Pressure: Same as water
Percent Volatile: 47 (by weight)
Color: Off-White
Odor: Acrylic
Grams V.O.C. per liter of material: 0 (calculated)
Grams V.O.C. per liter of coating: 0 (calculated)

SECTION IV

FIRE & EXPLOSION HAZARD DATA

DOT Category: Not regulated
Flash Point: None
LEL: NA
Extinguishing Media: Non-flammable
Unusual Fire & Explosion Hazards: None known
Special Fire Fighting Procedures: None known

SECTION V

HEALTH HAZARD DATA

SYMPTOMS OF OVER EXPOSURE

Inhalation: None known
Ingestion: None known
Skin: None known
Eyes: May cause mild irritation
FIRST AID PROCEDURES
Eyes: Flush with water
Skin: Wash with soap and water
Inhalation: Remove to fresh air if needed

SECTION VI

REACTIVITY DATA

Stability: Stable
Conditions to avoid: None known
Incompatibility-Materials to Avoid: None known
Hazardous decomposition products: None known
Hazardous polymerization: Will not occur

SECTION VII

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED.

Use absorbent material to collect and contain for salvage or disposal. **Waste Disposal:** Abide by all state, federal and local regulations.

SECTION VIII

SPECIAL PROTECTION INFORMATION

Respiratory protection: None should be needed
Eyes: Goggles
Ventilation: Local exhaust
Protective Gloves: None required
Other Protective Equipment: None required

SECTION IX

SPECIAL PRECAUTIONS

Precaution for handling and storing: Do not puncture.
KEEP OUT OF THE REACH OF CHILDREN.
Freeze thaw stable at 10 degrees F